



**Report on**

**Site Selection**

**ARUP**

 Epping Forest District Council

Drawing No.  
EFDC-S2-0001-Rev1

Date: September 2016

Scale: 1:12,500 @A3

**Content**  
Residential Sites for Stage 2 Assessment in  
Buckhurst Hill

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA,  
USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo and the GIS User Community.

**Legend**

 Stage 2 Sites

 Parish Boundary

N

## Site Suitability Assessment

Site Reference: SR-0176

Parish: Buckhurst Hill

Settlement:

Size (ha): 1.23

Address: St Just, 1 Powell Road, Buckhurst Hill, Essex, IG9 5RD

Primary use: Housing

SLAA notes: Site comprises a large residential garden

SLAA yield: 60 dwellings comprising 40 market homes and 20 affordable


SLAA source for baseline yield: Indicated in Call for Sites

SLAA site constraints: None

Site selection adjustment: None

Community feedback: Feedback was received on BKH-1 which is within or near to this site. Refer to Appendix B1.4 for further details.

Dwellings: 60



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0176



Epping Forest District Council  
www.eppingforestdc.gov.uk

Issue

P1



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	0	Site is not located within or adjacent to Ancient Woodland.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	0	Proposed site located within the setting of a heritage asset and effects can be mitigated.
1.8b Impact on archaeology	0	There is a medium likelihood that further archaeological assets may be discovered on the site, but potential is unknown as a result of previous lack of investigation.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	0	Site is within Green Belt, but the level of harm likely to arise by the release of land for development would be none.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	0	Site between 400m and 1000m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	(+)	Site is less than 1000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	(+)	Site is less than 1000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(-)	Majority of the site is greenfield land adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(-)	Development could detract from the existing settlement character.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	(-)	Potential contamination on site, which could be mitigated.
6.6 Traffic impact	0	Area around the site expected to be uncongested at peak time, or site below the site size threshold where it would be expected to affect congestion.

## Site Suitability Assessment

Site Reference: SR-0188

Parish: Buckhurst Hill


Settlement:

Size (ha): 1.22

Address: Land to the Rear of Albany House, Epping New Road, Buckhurst Hill

Primary use: Housing

SLAA notes: Paddock



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0188

Issue

P1

**ARUP**

Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment, GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



SLAA yield: 1-2 dwellings

SLAA source for baseline yield: Indicated in Call for Sites

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 2

Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use are not likely to be significant alone but should be checked for in-combination effects.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(-)	Existing evidence and/or a lack of previous disturbance indicates a high likelihood for the discovery of high quality archaeological assets on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(-)	Site is within Green Belt, where the level of harm caused by release of the land for development would be very low, low or medium.
3.1 Distance to the nearest rail/tube station	0	Site is between 1000m and 4000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(-)	Site more than a 1000m from a bus stop.
3.3 Distance to employment locations	0	Site is more than 1600m and less than 2400m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	0	Site is between 1000m and 4000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(-)	Majority of the site is greenfield land that is neither within nor adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	(-)	The site falls within an area of high landscape sensitivity - vulnerable to change and unable to absorb development without significant character change.
5.2 Settlement character sensitivity	0	Development is unlikely to have an effect on settlement character.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(-)	Potential for access to the site to be created through third party land and agreement in place, or existing access would require upgrade.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact		Site below the size threshold where it would be expected to affect congestion (e.g. employment site or housing site with capacity of <25 dwellings).

## Site Suitability Assessment

Site Reference: SR-0225

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.43

Address: Queens Road, Lower Car Park, Buckhurst Hill, IG9 5

Primary use: Housing

SLAA notes: None

SLAA yield: 55 dwellings


SLAA source for baseline yield: Indicated in Call for Sites

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 55



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0225



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	(+)	Site is less than 1000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	(+)	Site is less than 1000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	(-)	Potential contamination on site, which could be mitigated.
6.6 Traffic impact	(-)	Low level congestion expected at peak times within the vicinity of the site.

## Site Suitability Assessment

Site Reference: SR-0293

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.71

Address: Land Lying to the east of Hornbeam Road, Rear of Bourne House  
Buckhurst Hill.

Primary use: Housing

SLAA notes: Garages to rear of Bourne House, Derelict Play Park and Sports Pavilion

SLAA yield: 21 dwellings


SLAA source for baseline yield: Assumption based on 30 dph

SLAA site constraints: Circa 10% of the site is covered by SR-0635 (2 dwellings) and as such this is omitted from the yield.

Site selection adjustment: Full capacity reinstated for site selection assessment (overlapping site).

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 21



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0293



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, Increment, GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	0	Site is not located within or adjacent to Ancient Woodland.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(+)	Site within Flood Zone 2 and exception test not required.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(-)	Existing evidence and/or a lack of previous disturbance indicates a high likelihood for the discovery of high quality archaeological assets on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(-)	Site is within Green Belt, where the level of harm caused by release of the land for development would be very low, low or medium.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	0	Site is more than 1600m and less than 2400m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	0	Site is between 1000m and 4000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(-)	Majority of the site is greenfield land adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	0	Development is unlikely to have an effect on settlement character.
6.1 Topography constraints	(-)	Topographical constraints exist in the site but potential for mitigation.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact		Site below the size threshold where it would be expected to affect congestion (e.g. employment site or housing site with capacity of <25 dwellings).

## Site Suitability Assessment

Site Reference: SR-0319

Parish: Buckhurst Hill

Settlement:

Size (ha): 12.3

Address: Land west of Epping New Road, Buckhurst Hill

Primary use: Housing

SLAA notes: Broad Area west of Buckhurst Hill

SLAA yield: 369 dwellings


SLAA source for baseline yield: Assumption based on 30 dph

SLAA site constraints: Circa 50% of the site has potential contamination which may not be suitable for housing development (landfill). As such developable site area reduced to 50%.

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 184



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0319



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland but possible effects can be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	(-)	Features and species in the site may not be retained in their entirety but effects can be mitigated.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(-)	Existing evidence and/or a lack of previous disturbance indicates a high likelihood for the discovery of high quality archaeological assets on the site.
1.9 Impact of air quality	(-)	Site lies within an area which has been identified as being at risk of poor air quality, but it is likely that the risk could be mitigated or reduced.
2.1 Level of harm to Green Belt	(-)	Site is within Green Belt, where the level of harm caused by release of the land for development would be very low, low or medium.
3.1 Distance to the nearest rail/tube station	0	Site is between 1000m and 4000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	0	Site between 400m and 1000m of a bus stop.
3.3 Distance to employment locations	0	Site is more than 1600m and less than 2400m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	0	Site is between 1000m and 4000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(-)	Majority of the site is greenfield land adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	(+)	Development could provide an opportunity to improve links to adjacent existing public open space or provide access to open space which is currently private.
5.1 Landscape sensitivity	(-)	The site falls within an area of high landscape sensitivity - vulnerable to change and unable to absorb development without significant character change.
5.2 Settlement character sensitivity	(-)	Development is likely to substantially harm the existing settlement character.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	(-)	Potential contamination on site, which could be mitigated.
6.6 Traffic impact	0	Area around the site expected to be uncongested at peak time, or site below the site size threshold where it would be expected to affect congestion.

## Site Suitability Assessment

Site Reference: SR-0576

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.03

Address: 71 - 73 Queens Road, Buckhurst Hill, Essex, IG9 5BW

Primary use: Housing

SLAA notes: Retail at the ground floor and flats above.

SLAA yield: 6


SLAA source for baseline yield: Indicated in Planning Application Form (equivalent to 200 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 6



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No


SR-0576



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	(+)	Site is less than 1000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	(+)	Site is less than 1000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact		Site below the size threshold where it would be expected to affect congestion (e.g. employment site or housing site with capacity of <25 dwellings).

## Site Suitability Assessment

Site Reference: SR-0810

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.15

Address: community Facility north of Station Way, Buckhurst Hill, Essex

Primary use: Housing

SLAA notes: community hall (in use) and associated car parking. Element of car parking also allocated for use by customers of adjacent local shops.

SLAA yield: 8


SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 52 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 8



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0810

Issue

P1

**ARUP**

 Epping Forest District Council  
www.eppingforestdc.gov.uk

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	0	Site is between 1000m and 4000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	(-)	Topographical constraints exist in the site but potential for mitigation.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	(-)	The intensity of site development would be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact		Site below the size threshold where it would be expected to affect congestion (e.g. employment site or housing site with capacity of <25 dwellings).

## Site Suitability Assessment

Site Reference: SR-0811

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.51

Address: Site south of Hornbeam Road, Buckhurst Hill, Essex

Primary use: Housing

SLAA notes: Four blocks of existing flats and associated landscaping and access.

SLAA yield: 25


SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 49 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 25



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0811



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment, GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	0	Site is not located within or adjacent to Ancient Woodland.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	0	Site is more than 1600m and less than 2400m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	0	Site is between 1000m and 4000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	(-)	Topographical constraints exist in the site but potential for mitigation.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact	0	Area around the site expected to be uncongested at peak time, or site below the site size threshold where it would be expected to affect congestion.

## Site Suitability Assessment

Site Reference: SR-0813

Parish: Buckhurst Hill


Settlement:

Size (ha): 0.3

Address: Stores at Lower Queens Road, Buckhurst Hill, Essex

Primary use: Housing

SLAA notes: A parade of local shops with residential flats above and associated parking and access. Access also used for adjacent block of flats.



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0813



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community



SLAA yield: 46

SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 152 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 46

Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	(+)	Site is less than 1000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	(+)	Site is less than 1000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	(-)	Potential contamination on site, which could be mitigated.
6.6 Traffic impact	(-)	Low level congestion expected at peak times within the vicinity of the site.

## Site Suitability Assessment

Site Reference: SR-0816

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.12

Address: Car park at Back Lane, Buckhurst Hill, Essex.

Primary use: Housing

SLAA notes: Car park for Waitrose which is in use.

SLAA yield: 18


SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 150 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 18



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0816


Issue

P1



Epping Forest District Council  
www.eppingforestdc.gov.uk

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, Increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	(+)	Site is less than 1000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	(+)	Site is less than 1000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	(-)	Topographical constraints exist in the site but potential for mitigation.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact		Site below the size threshold where it would be expected to affect congestion (e.g. employment site or housing site with capacity of <25 dwellings).

## Site Suitability Assessment

Site Reference: SR-0817

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.32

Address: Toby Carvery car park, Junction of Queens Road and High Road, Buckhurst Hill, Essex

Primary use: Housing

SLAA notes: Car park for Toby Carvery. The public house is in use.

SLAA yield: 50


SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 154 dph)

SLAA site constraints: An area of blanket Tree Preservation Order coverage covers circa a third of the site and the capacity is reduced accordingly.

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 33



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

Issue

SR-0817

P1

**ARUP**

 Epping Forest District Council  
www.eppingforestdc.gov.uk

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	(-)	Site is adjacent to or contains Ancient Woodland. The proposals would likely result in direct loss or harm to Ancient Woodland or cannot be mitigated.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	(-)	Site lies within an area which has been identified as being at risk of poor air quality, but it is likely that the risk could be mitigated or reduced.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	0	Site is between 1000m and 4000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	(+)	Site is less than 1000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	(+)	Site is less than 1000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(+)	Development may improve settlement character through redevelopment of a run down site or improvement in townscape.
6.1 Topography constraints	0	No topography constraints are identified in the site.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	(-)	The site has severely limited feasibility for development as a result of the extensive presence of protected trees, either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact	0	Area around the site expected to be uncongested at peak time, or site below the site size threshold where it would be expected to affect congestion.

## Site Suitability Assessment

Site Reference: SR-0818

Parish: Buckhurst Hill


Settlement:

Size (ha): 1.6

Address: Tennis Courts and Green Space at Boleyn Court, Buckhurst Hill, Essex

Primary use: Housing

SLAA notes: Open amenity space to the rear of Boleyn Court, including a pond and tennis courts. Site has quite a dense tree boundary.



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0818



Epping Forest District Council

[www.eppingforestdc.gov.uk](http://www.eppingforestdc.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



SLAA yield: 111

SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 69 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 111

Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	0	Site is not located within or adjacent to Ancient Woodland.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	(-)	Features and species in the site may not be retained in their entirety but effects can be mitigated.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(-)	Existing evidence and/or a lack of previous disturbance indicates a high likelihood for the discovery of high quality archaeological assets on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	0	Site is between 1000m and 4000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	0	Site between 400m and 1000m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(-)	Majority of the site is greenfield land adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	(+)	Development could provide an opportunity to improve links to adjacent existing public open space or provide access to open space which is currently private.
5.1 Landscape sensitivity	(-)	The site falls within an area of high landscape sensitivity - vulnerable to change and unable to absorb development without significant character change.
5.2 Settlement character sensitivity	(-)	Development could detract from the existing settlement character.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	0	The intensity of site development would not be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(-)	Potential for access to the site to be created through third party land and agreement in place, or existing access would require upgrade.
6.5 Contamination constraints	(-)	Potential contamination on site, which could be mitigated.
6.6 Traffic impact	(-)	Low level congestion expected at peak times within the vicinity of the site.

## Site Suitability Assessment

Site Reference: SR-0819

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.53

Address: Playing Field at St Johns Church Of England Primary School, High Road, Buckhurst Hill, Essex

Primary use: Housing

SLAA notes: School playing field (unable to access site)

SLAA yield: 26


SLAA source for baseline yield: Indicated in Settlement Capacity Analysis (equivalent to 49 dph)

SLAA site constraints: None

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 26



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

SR-0819

Issue

P1

**ARUP**

 Epping Forest District Council  
www.eppingforestdc.gov.uk

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, Increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	0	Site is not located within or adjacent to Ancient Woodland.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	0	Site is between 1000m and 4000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	(+)	Site is within 1600m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	(+)	Site is less than 1000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(+)	Majority of the site is greenfield land within a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(-)	Development could detract from the existing settlement character.
6.1 Topography constraints	(-)	Topographical constraints in the site may preclude development.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	(-)	The intensity of site development would be constrained by the presence of protected trees either on or adjacent to the site.
6.4 Access to site	(-)	There is no means of access to the site and no likely prospect of achieving access.
6.5 Contamination constraints	(-)	Potential contamination on site, which could be mitigated.
6.6 Traffic impact	(-)	Low level congestion expected at peak times within the vicinity of the site.

## Site Suitability Assessment

Site Reference: SR-0865

Parish: Buckhurst Hill

Settlement:

Size (ha): 0.14

Address: Saint Elisabeth's Church, Chestnut Avenue, Buckhurst Hill, Essex, IG9 6BN

Primary use: Housing

SLAA notes: Vacant church and church hall with associated parking

SLAA yield: 14


SLAA source for baseline yield: Indicated in Planning Application Form (equivalent to 98 dph)

SLAA site constraints: Application for demolition of church and hall and erection of 7 flats and 7 houses dismissed on appeal in January 2016. Issues could potentially be overcome by appropriate design and robust heritage justification and as such the yield is not changed.

Site selection adjustment: None

Community feedback: The Council did not consult on a growth location which covers or is near to this site.

Dwellings: 14



Client

Epping Forest District Council

Job Title

Epping Forest District Local Plan

Drawing Status

Issue

Drawing No

Issue

SR-0865



Epping Forest District Council

[www.eppingforestdcd.gov.uk](http://www.eppingforestdcd.gov.uk)

© Contains OS data © Crown copyright and database right (2016)  
Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community  
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Criteria	Score	Qualitative Assessment
1.1 Impact on Internationally Protected Sites	(-)	Effects of allocating the site for the proposed use is likely to have a significant effect.
1.2 Impact on Nationally Protected sites	(-)	Site falls within an Impact Risk Zone and due to the nature and scale of the development proposed it is likely to be possible to mitigate the effects of the proposed development.
1.3a Impact on Ancient Woodland	0	Site is not located within or adjacent to Ancient Woodland.
1.3b Impact on Ancient/Veteran Trees outside of Ancient Woodland	0	No Ancient or Veteran trees are located within the site.
1.4 Impact on Epping Forest Buffer Land	0	Site is unlikely to impact on Epping Forest Buffer Land.
1.5 Impact on BAP Priority Species or Habitats	0	No effect as features and species could be retained or due to distance of BAP priority habitats from site.
1.6 Impact on Local Wildlife Sites	0	Site has no effect as features and species could be retained or due to distance of local wildlife sites from site.
1.7 Flood risk	(++)	Site within Flood Zone 1.
1.8a Impact on heritage assets	(+)	No effect likely on historic assets due to distance from site.
1.8b Impact on archaeology	(+)	There is a low likelihood that further archaeological assets would be discovered on the site.
1.9 Impact of air quality	0	Site lies outside of areas identified as being at risk of poor air quality.
2.1 Level of harm to Green Belt	(+)	Site is not located in the Green Belt.
3.1 Distance to the nearest rail/tube station	(+)	Site is less than 1000m from the nearest rail or tube station.
3.2 Distance to nearest bus stop	(+)	Site is within 400m of a bus stop.
3.3 Distance to employment locations	0	Site is more than 1600m and less than 2400m of an employment site/location.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from nearest town, large village or small village.
3.5 Distance to nearest infant/primary school	0	Site is between 1000m and 4000m from the nearest infant/primary school.
3.4 Distance to local amenities	0	Site is between 1000m and 4000m from the nearest secondary school.
3.7 Distance to nearest GP surgery	0	Site is between 1000m and 4000m from the nearest GP surgery.
3.8 Access to Strategic Road Network		Not applicable.
4.1 Brownfield and Greenfield Land	(++)	Majority of the site is previously developed land within or adjacent to a settlement.
4.2 Impact on agricultural land	0	Development would not result in the loss of agricultural land.
4.3 Capacity to improve access to open space	0	Development unlikely to involve the loss of public open space.
5.1 Landscape sensitivity	0	The site falls within an area of low landscape sensitivity - characteristics of the landscape are able to accommodate development without significant character change.
5.2 Settlement character sensitivity	(-)	Development could detract from the existing settlement character.
6.1 Topography constraints	(-)	Topographical constraints exist in the site but potential for mitigation.
6.2a Distance to gas and oil pipelines	0	Gas or oil pipelines do not pose any constraint to the site.
6.2b Distance to power lines	0	Power lines do not pose a constraint to the site.
6.3 Impact on Tree Preservation Order (TPO)	(-)	The site has severely limited feasibility for development as a result of the extensive presence of protected trees, either on or adjacent to the site.
6.4 Access to site	(+)	Suitable access to site already exists.
6.5 Contamination constraints	0	No contamination issues identified on site to date.
6.6 Traffic impact		Site below the size threshold where it would be expected to affect congestion (e.g. employment site or housing site with capacity of <25 dwellings).